according to 1907/2006/EC, Article 31

Printing date 14.02.2020 Version number 1.03 Revision: 14.02.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: PANTAQUICK SCA120 AFL
- Article number: 0520
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Construction chemicals
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Ha-Be Betonchemie GmbH

Stuevestrasse 39

31785 HAMELN, GERMANY

- Further information obtainable from: info@ha-be.com
- 1.4 Emergency telephone number:

0049 5151 587-0

Only available during office hours.

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS05

- Signal word Danger
- Hazard-determining components of labelling:

aluminium sulphate

formic acid

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

- Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.02.2020 Version number 1.03 Revision: 14.02.2020

Trade name: PANTAQUICK SCA120 AFL

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

- 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 10043-01-3	aluminium sulphate	25-50%
EINECS: 233-135-0	♣ Eye Dam. 1, H318	
Reg.nr.: 01-2119531538-36-xxxx		
CAS: 64-18-6	formic acid	≤2.5%
EINECS: 200-579-1	♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302	

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 14.02.2020 Version number 1.03 Revision: 14.02.2020

Trade name: PANTAQUICK SCA120 AFL

(Contd. of page 2)

- 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from frost.

Storage in a collecting room is required.

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: avoid any kind of dust-generating process
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS 231-545-4: amorphe silicic acid

AGW: 4 mg/m³ (general dust limit, inhalable fraction)

10043-01-3 aluminium sulphate

WEL Long-term value: 2 mg/m³

64-18-6 formic acid

WEL Long-term value: 9.6 mg/m³, 5 ppm

- Regulatory information WEL: EH40/2018
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection:

Wear a particulate respirator according to EN 149 FFP 2S/3S in areas of dust-generating processes. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 14.02.2020 Version number 1.03 Revision: 14.02.2020

Trade name: PANTAQUICK SCA120 AFL

- Material of gloves

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Fluid
Colour: Light grey
- Odour: Odourless
- Odour threshold: Not determined.

- pH-value at 20 °C:

- Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** >100 °C

Flash point: Not applicable.
 Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.

- **Explosive properties:** Product does not present an explosion hazard.

Not determined.

- Explosion limits:

Lower:

Upper: Not determined.

- Vapour pressure: Not determined.

- Density at 20 °C: 1.3 g/cm³

- Vapour density Not determined.

- Evaporation rate Not determined.

- Solubility in / Miscibility with

water: Partly miscible.- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

Water: 53.0 %

- **9.2 Other information** No further relevant information available.

– G

according to 1907/2006/EC, Article 31

Printing date 14.02.2020 Version number 1.03 Revision: 14.02.2020

Trade name: PANTAQUICK SCA120 AFL

(Contd. of page 4)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Possible in traces.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation

Finely devided dust may irritate and dehydrate muccous membrane.

Causes skin irritation.

- Serious eye damage/irritation

Finely devided dust may irritate and dehydrate muccous membrane.

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity: The inhalation of microsilica cause a minimum risk of a pulmonary fibrosis.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: LC50 (96h) = 2,6 mg/L (Oncorhynchus mykiss) (ECHA)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

GE

according to 1907/2006/EC, Article 31

Printing date 14.02.2020 Version number 1.03 Revision: 14.02.2020

Trade name: PANTAQUICK SCA120 AFL

(Contd. of page 5)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Packaging may be reused or recycled after cleaning.
- Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, ADN, IMDG, IATA Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

- Class Void

- 14.4 Packing group

- ADR, IMDG, IATA Void

- 14.5 Environmental hazards:

- Marine pollutant: No

- 14.6 Special precautions for user Not applicable.

- 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

- **Transport/Additional information:** Not dangerous according to the above specifications.

- UN "Model Regulation": Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

- Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

- Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

(Contd. on page 7)

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2020 Version number 1.03 Revision: 14.02.2020

Trade name: PANTAQUICK SCA120 AFL

(Contd. of page 6)

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1